

Product Group *NEW!*

Sealed Rocker Switch

Type	Environmentally Sealed Rocker Switches
Electrical Life	50,000 cycles
Rating	20A/12A 125VAC/250VAC, 25A 12VDC
Contact Resistance	< 20m-ohms (initial)
Switching Position	ON-ON, ON-(ON), ON-OFF, ON-(OFF), OFF-(ON), ON-OFF-ON, (ON)-OFF-(ON), ON-OFF-(ON), NONE-OFF-ON, NONE-ON-ON, NONE-ON-(ON), ON-ON-ON
Terminal Option	Quick Connect: 6.35mm, 4.74mm, Solder Lug, Screw Terminal
Actuator Type	Illuminated or non-illuminated with customised legend available
Features	<ul style="list-style-type: none"> •Wide choice of actuator colours & (laser etched) symbols •UL & CSA approved
Applications	<ul style="list-style-type: none"> •Marine & Automobile applications sealed to IP67/68 •Agriculture applications



Actuator texture in Soft or Hard surface with multi legends & symbols available for selection



PC+TPR soft surface overlay




PC + hard thermoplastic surface overlay

Attachable Switch Mounting Panel for quick installation & expansion



HOW TO ORDER



Series	Function	Actuator	Actuator Color ¹	Legend Symbol	LED ²	Voltage	Terminal
2P-1 ON-OFF	0 No actuator	0 None	000 No Legend & Symbol	0 No LED	12V 12V LED with Resistor 1K-ohms	M1 Solder lug	
2P-8 ON-(OFF)	S Soft surface	1 White	See next page for detailed options	R Red	24V 24V LED with Resistor 2.2K-ohms	M3 Quick connect 6.35 (.250")	
2P-9 OFF-(ON)	H Hard surface	2 Black		G Green		M31 Quick connect 4.74 (.187")	
S/DP-1 ON-ON		3 Red		B Blue			
S/DP-2 ON-(ON)		4 Orange		Y Yellow			
S/DP-3 ON-OFF-ON		5 Yellow		O Orange		M4 Screw terminal	
S/DP-4 (ON)-OFF-(ON)		6 Green		W White			
S/DP-5 ON-OFF-(ON)		7 Blue					
DP-6 ON-ON-ON		8 Brown					
		9 Gray					


















1. Soft surface actuator only available in Black.


















2. Fill two LED codes when actuator has two Lens.



Since 1976

MR Series - Legends

LEGEND		LEGEND CODE
SYMBOL	NAME (SYMBOL MEANING)	
	Navigation Lights	001
	Anchor Lights	002
	Horn	003
	Flap	004
	Bilge Blower	005
	Windshield Wiper	006
	Bilge Pump	007
	Bilge Pump #1	008
	Bilge Pump #2	009
	Bilge Pump #3	110
	Water Pressure System	011
	Cruise Control	012
	Stereo	013
	Cockpit and Cabin Lights	014
	Anchor Winch Control	015
	Hatch Opener	016
	Parallel Battery	017

LEGEND		LEGEND CODE
SYMBOL	NAME (SYMBOL MEANING)	
	Refrigerator	018
	High Beam	019
	Depth Sounder	020
	Auto-Pilot	021
	Gangway Up / Down	022
	Gangway Extension	023
	Gasoline Pump	024
	Low / Dipped Beam	025
	Side Marker Lights	026
	Work Lamp	027
	Work Lamp	028
	Light	029
	Master Light Switch	030
	Propulsion System Trim Trimming Operation	031
	Ventilation Fan Or Blower	032
	Windshield Washer	033
	Windshield Wiper / Washer	034

